



Products for Maintenance

Lubricants and lubrication devices

①



ARCANOL

②



ARCALUB-C1

③



ARCALUB-C2

④



ARCALUB-C4

⑤



ARCALUB-C8

⑥



ARCALUB Cartridges

⑦



ARCALUB Accessories

⑧



ARCA-GREASE-GUN

⑨



ARCA-PUMP-BARREL

⑩



ARCA-PUMP-BARREL-MANUAL

⑪



ARCA-PUMP-BARREL.GUN-METER

⑫



TOOL-RAILWAY-GREASER

Lubricants and lubrication devices

Lubricants

| Designation | Description | Further information |
|--------------------|---------------------------------|---------------------|
| ① ARCANOL-MULTITOP | Multi-purpose grease | TPI 168 |
| ARCANOL-MULTI2 | | |
| ARCANOL-MULTI3 | | |
| ARCANOL-LOAD150 | Grease for high loads | TPI 168 |
| ARCANOL-LOAD220 | | |
| ARCANOL-LOAD400 | | |
| ARCANOL-LOAD460 | | |
| ARCANOL-LOAD1000 | | |
| ARCANOL-TEMP90 | Grease for high temperatures | TPI 168 |
| ARCANOL-TEMP110 | | |
| ARCANOL-TEMP120 | | |
| ARCANOL-TEMP200 | | |
| ARCANOL-SPEED2,6 | Grease for special requirements | TPI 168 |
| ARCANOL-VIB3 | | |
| ARCANOL-FOOD2 | | |
| ARCANOL-CLEAN-M | | |
| ARCANOL-MOTION2 | | |

Automatic relubrication devices and accessories

| Designation | Description | Further information |
|-----------------------|--|-----------------------|
| ② ARCALUB-C1 | Electrochemical lubricator CONCEPT1, 1 outlet | TPI 252, Brochure FBS |
| ③ ARCALUB-C2 | Electromechanical lubricator CONCEPT2, 2 outlets | |
| ④ ARCALUB-C4 | Electromechanical lubricator CONCEPT4, 4 outlets | |
| ⑤ ARCALUB-C8 | Electromechanical lubricator CONCEPT8, 8 outlets | |
| ⑥ ARCALUB Cartridges | Grease cartridges | |
| ⑦ ARCALUB Accessories | Accessories for lubricators | |


Metering pistol grease guns and grease pumps

| Designation | Description | Further information |
|------------------------------|--------------------------------|---------------------|
| ⑧ ARCA-GREASE-GUN | Lever grease gun | TPI 252 |
| ⑨ ARCA-PUMP-BARREL | Drum pump | |
| ⑩ ARCA-PUMP-BARREL-MANUAL | Manual drum pump | |
| ⑪ ARCA-PUMP-BARREL.GUN-METER | Metering pistol grease gun | |
| ⑫ TOOL-RAILWAY-GREASER | Bearing-specific greasing tool | TPI 156 |

Further information is given in the Schaeffler Media Library

► <https://www.schaeffler.de/std/1D51>

Tools for mounting and dismounting



① FITTING-TOOL-ALU-10-50



② LOCKNUT-DOUBLEHOOK



③ LOCKNUT-HOOK



④ LOCKNUT-SOCKET



⑤ PULLER-2ARM



⑥ PULLER-3ARM



⑦ PULLER-HYD




⑧ PULLER-TRISECTION



⑨ BEARING-MATE



⑩ HEAT-GENERATOR



⑪ HEAT-INDUCTOR




⑫ HEATER



⑬ HYD NUT



⑭ PUMP



⑮ TOOL-RAILWAY-AGGREGATE



⑯ TOOL-RAILWAY-AXLE



⑰ TOOL-RAILWAY-SEALCAP-PRESS



⑱ TOOL-RAILWAY-SEALCAP

Tools for mounting and dismounting

Mechanical mounting and dismounting

| Designation | Description | Further information |
|--------------------------|--------------------------------|---------------------|
| ① FITTING-TOOL-ALU-10-50 | Mounting tool set | TPI 216 |
| ② LOCKNUT-DOUBLEHOOK | Double hook wrench | |
| ③ LOCKNUT-HOOK | Hook wrench | |
| ④ LOCKNUT-SOCKET | Socket | |
| ⑤ PULLER-2ARM | Two-arm extractor | |
| ⑥ PULLER-3ARM | Three-arm extractor | |
| ⑦ PULLER-HYD | Hydraulic extractor | |
| ⑧ PULLER-TRISECTION | Three-section extraction plate | |

Thermal mounting and dismounting

| Designation | Description | Further information |
|------------------|---|---------------------|
| ⑨ BEARING-MATE | Transport and mounting tool | TPI 217, TPI 216 |
| ⑩ HEAT-GENERATOR | Generator (medium frequency technology) | TPI 217 |
| ⑪ HEAT-INDUCTOR | Inductor (medium frequency technology) | |
| ⑫ HEATER | Induction heating device | TPI 200 |

Hydraulic mounting and dismounting

| Designation | Description | Further information |
|------------------------------|---------------------|---------------------|
| ⑬ HYDNUT | Hydraulic nut | TPI 196 |
| ⑭ PUMP | Hydraulic hand pump | TPI 195 |
| ⑮ TOOL-RAILWAY-AGGREGATE | Hydraulic unit | TPI 156 |
| ⑯ TOOL-RAILWAY-AXLE | Tool set | |
| ⑰ TOOL-RAILWAY-SEALCAP-PRESS | Hydraulic press | |
| ⑱ TOOL-RAILWAY-SEALCAP | Sealing cap tool | |

Further information is given in the Schaeffler Media Library

► <https://www.schaeffler.de/std/1D51>

Alignment and measuring devices

①



LASER-EQUILIGN

②



LASER-SMARTY2

③



LASER-TRUMMY2

④



FEELER-GAUGE

⑤



TOOL-RAILWAY-INSPECTION-DEVICE

⑥



TOOL-RAILWAY-CLEARANCE

Alignment and measuring devices

Alignment and measuring devices

| Designation | Description | Further information |
|------------------|-------------------------------|---------------------|
| ① LASER-EQUILIGN | Shaft alignment device | TPI 182 |
| ② LASER-SMARTY2 | Belt pulley alignment device | |
| ③ LASER-TRUMMY2 | Belt tension measuring device | |

Gauges, mechanical

| Designation | Description | Further information |
|----------------------------------|--------------------------|----------------------|
| ④ FEELER-GAUGE | Feeler gauges | Schaeffler eCommerce |
| ⑤ TOOL-RAILWAY-INSPECTION-DEVICE | Visual inspection device | TPI 156 |
| ⑥ TOOL-RAILWAY-CLEARANCE | Axial clearance gauge | |

Further information is given in the Schaeffler Media Library

➤ <https://www.schaeffler.de/std/1D51>

**Schaeffler Technologies
AG & Co. KG**

Georg-Schäfer-Straße 30
97421 Schweinfurt
Germany
Internet www.schaeffler.de/en
E-mail info.de@schaeffler.com

In Germany:

Phone 0180 5003872

Fax 0180 5003873

From other countries:

Phone +49 9721 91-0

Fax +49 9721 91-3435

Every care has been taken to ensure the correctness of the information contained in this publication but no liability can be accepted for any errors or omissions. We reserve the right to make technical changes.

© Schaeffler Technologies AG & Co. KG

Issued: 2020, September

This publication or parts thereof may not be reproduced without our permission.

PDB 31 GB-D